

Practitioner Guidelines for Prescribing CarcinPLUS®

Dosage and Administration

Humans can begin by taking one 200C pill per day on an empty stomach. Pill should be put under the tongue and dissolved if possible. Aggravations that occur will usually be noticeable within the first few days of administration. If no aggravations occur within one week, and the person's symptoms do not improve, the dose should be increased one pill per day, up to three 200C per day, until either aggravations are noticed and/or symptoms subside. Multiple pills should be taken at different times of the day, e.g., one in morning and one at night, etc.. If symptoms still do not improve with three 200C per day, consider using a CM dilution pill at either one or two per day. Animals may require smaller doses or less frequent administration as directed by the veterinarian.

When to prescribe this remedy

Numerous symptoms have shown improvement with this remedy including increased energy, improved cognitive abilities, diminished tremors associated with Parkinson's disease, increased feelings of well being, increased ability to focus, along with several others. See Case Study reports for more details.

Possible Aggravations

Humans who have used this particular remedy report occasional unpleasant sensations during the early healing process. In homeopathy, these are known as "aggravations." For cancer patients there is reported pain at the tumor site, inflammation, and feelings of heat. These aggravations typically subside after a few days. Other aggravations reported during the testing of this remedy include nasal congestion, mild skin rash, vivid dreams, increased energy and vitality, and heightened feelings of well being.

How to order

Licensed pharmacies, medical and veterinary professionals may order **CarcinPLUS®** directly from Washington Homeopathic Products by calling 1-800-336-1695.